


Amendments to the Claims:

Listing of Claims

Claim 1 (original): A compound of formula I



in free or salt form, wherein

T is phenyl or a 5- or 6- membered heterocyclic ring wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur;

X is -O-, carbonyl or a bond;


R¹ and R² are independently selected from the group consisting of hydrogen, carboxy, C₁-C₈-alkoxy, and C₁-C₈-alkyl optionally substituted by hydroxy, C₁-C₈-alkoxy, acyloxy, halo, carboxy, C₁-C₈-alkoxycarbonyl, -N(R^a)R^b, -CON(R^c)R^d or by a monovalent cyclic organic group having 3 to 15 atoms in the ring system;

Y is



where R³ is hydrogen or C₁-C₈-alkyl,

or Y is




where q and r are independently 1 or 2;

U is a cyclic group selected from the group consisting of phenyl, C₃-C₈-cycloalkyl, and a 5- or 6- membered heterocyclic ring wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur;

m is a whole number from 0 to 8;

n is an integer from 1 to 8 except when Y is



then n is an integer from 2 to 8;

p is a whole number from 0 to 4;

R^a and R^b are each independently hydrogen or C_1 - C_8 -alkyl, or R^a is hydrogen and R^b is hydroxy- C_1 - C_8 -alkyl, acyl, $-SO_2R^c$ or $-CON(R^c)R^d$, or R^a and R^b together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur; R^c and R^d are each independently hydrogen or C_1 - C_8 -alkyl, or R^c and R^d together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur; and R^e is C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, or phenyl optionally substituted by C_1 - C_8 -alkyl.


Claim 2 (original): A compound according to claim 1, wherein

T is phenyl optionally substituted by halo;

X is $-O-$;


R^1 and R^2 are both hydrogen;

Y is



where R^3 is hydrogen,

or Y is



where q and r are both 2;

U is phenyl optionally substituted by halo, nitro or C_1 - C_8 -alkoxy;

m is a whole number from 0 to 8;

n is an integer from 1 to 8 except when Y is



then n is an integer from 2 to 8; and

p is 0.


Claim 3 (original): A compound according to claim 1, wherein

T is phenyl optionally substituted by halo, preferably fluoro;

X is $-O-$;

R^1 and R^2 are both hydrogen;

Y is



where R^3 is hydrogen,
or Y is




where q and r are both 2;

U is phenyl optionally substituted by halo, nitro or $\text{C}_1\text{-C}_4$ -alkoxy, where halo is preferably fluoro and/or chloro;

m is a whole number from 0 to 4;


n is an integer from 1 to 4 except when Y is



then n is an integer from 2 to 4; and





p is 0.

Claim 4 (original): A compound of formula I that is also a compound of formula XI



in free or salt form, wherein m, n, Y and U are as shown in the following table:

m	n	Y	U
0	1		
1	2		
1	2		
1	2		

1	3		
1	3		

Claim 5 (currently amended): A compound according to ~~any one of claims 1 to 4~~claim 1 for use as a pharmaceutical.

Claim 6 (currently amended): A compound according to ~~any one of claims 1 to 4~~claim 1 in combination with at least one drug substance which is an anti-inflammatory, a bronchodilator, an antihistamine, a decongestant or an anti-tussive drug substance.


Claim 7 (currently amended): A pharmaceutical composition comprising as active ingredient a compound according to ~~any one of claims 1 to 4~~claim 1, optionally together with a pharmaceutically acceptable diluent or carrier therefor.

Claim 8 (currently amended): Use of a compound according to ~~any one of claims 1 to 4~~claim 1 for the manufacture of a medicament for the treatment of a condition mediated by CCR-3.


Claim 9 (currently amended): Use of a compound according to ~~any one of claims 1 to 4~~claim 1 for the manufacture of a medicament for the treatment of an inflammatory or allergic condition, particularly an inflammatory or obstructive airways disease.

Claim 10 (original): A process for the preparation of compounds of formula I as defined in claim 1, which comprises:

- (i) reacting a compound of formula II




wherein T, X, R¹, R², Y, m and n are as defined in claim 1, with a compound of formula III



wherein p and U are as defined in claim 1; and

(ii) recovering the product in free or salt form.

Claim 11 (original): A compound of formula II




in free or salt form, wherein

T is phenyl or a 5- or 6- membered heterocyclic ring wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur;

X is -O-, carbonyl or a bond;


R¹ and R² are independently selected from the group consisting of hydrogen, carboxy, C₁-C₈-alkoxy, and C₁-C₈-alkyl optionally substituted by hydroxy, C₁-C₈-alkoxy, acyloxy, halo, carboxy, C₁-C₈-alkoxycarbonyl, -N(R^a)R^b, -CON(R^c)R^d or by a monovalent cyclic organic group having 3 to 15 atoms in the ring system;

Y is



where R³ is hydrogen or C₁-C₈-alkyl,


or Y is



where q and r are independently 1 or 2;

m is a whole number from 0 to 8;

n is an integer from 1 to 8 except when Y is



then n is an integer from 2 to 8;

R^a and R^b are each independently hydrogen or C_1 - C_8 -alkyl, or R^a is hydrogen and R^b is hydroxy- C_1 - C_8 -alkyl, acyl, $-SO_2R^c$ or $-CON(R^c)R^d$, or R^a and R^b together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur; R^c and R^d are each independently hydrogen or C_1 - C_8 -alkyl, or R^c and R^d together with the nitrogen atom to which they are attached denote a 5- or 6-membered heterocyclic group wherein at least one of the ring atoms is selected from the group consisting of nitrogen, oxygen and sulphur; and R^e is C_1 - C_8 -alkyl, C_1 - C_8 -haloalkyl, or phenyl optionally substituted by C_1 - C_8 -alkyl.